



#3 2851

# INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Application Number	10/023,160
Filing Date	DECEMBER 18, 2001
First Named Inventor	LORNA GOULDEN ET AL.
Group Art Unit	2851
Examiner Name	
Attorney Docket Number	NL 000760

To Commissioner For Patents

Enclosed herewith is a Form PTO-1449, required copies of documents listed thereon, and a concise explanation of their relevance is described below or enclosed herewith per 37 CFR 1.97.

These documents may be relevant in that they have been:

- considered in drafting the specification of the above-referenced application;
- cited in the specification of the above-referenced application;
- previously submitted or cited in U.S. patent application(s) \_\_\_\_\_ which are relied on for an earlier effective filing date under 35 U.S.C. 120 (no copy required); or
- cited as an "X" or "Y" document in a foreign Patent Office search report on a foreign counterpart application, a copy of which report is also enclosed;
  - I hereby certify that these documents were first cited in any communication with a foreign Patent Office for a counterpart foreign application not more than three (3) months ago;
- otherwise a concise explanation of the relevance of each document is append hereto.
  - I hereby certify that not one of these documents was cited in any communication with a foreign Patent Office nor was any known to any individual designated in §1.56(c) more than three (3) months ago.

### SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT REQUIRED

Name (Print Type)	GREGORY L. THORNE	Registration No. (Attorney/Agent)	39,398
Signature		Date	4/3/02

### CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this is being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner For Patents, Washington, DC 20231, or facsimile transmitted to the U.S. Patent and Trademark Office tel# \_\_\_\_\_ on the date below:

Name (Print Type)	NOEMI CHAPA	Date	4/10/02
Signature		Date	4/10/02

RECEIVED  
APR 10 2002  
TECHNICAL CENTER  
2800